

Fig.2 FIRST MODIFIED PREFERRED EMBODIMENT




Fig.3 SECOND MODIFIED PREFERRED EMBODIMENT




Fig. 4 FIRST PREFERRED EMBODIMENT




Fig.5




Fig.6




Fig.7




Fig. 8 SECOND PREFERRED EMBODIMENT





Fig. 9



THIRD PREFERRED EMBODIMENT




Fig. 10

FOURTH PREFERRED EMBODIMENT






Fig. 11 FIFTH PREFERRED EMBODIMENT



102130" 3048/360



T02T50" 9042/860

Fig. 13 SEVENTH PREFERRED EMBODIMENT




Fig. 14




Fig. 15 NINTH PREFERRED EMBODIMENT




Fig. 16




Fig. 17 ELEVENTH PREFERRED EMBODIMENT




Fig. 18





Fig. 19 THIRTEENTH PREFERRED EMBODIMENT



FOURTEENTH PREFERRED EMBODIMENT

Fig. 20





Fig.21






Fig.23 SIXTEENTH PREFERRED EMBODIMENT




Fig.24

TRANSMISSION DESTINATION TABLE FOR ANSWER SIGNAL

TRANSMITTER	DESTINATION
LOCAL TERMINAL APPARATUS A1	REMOTE TERMINAL APPARATUS B1 AND MANAGEMENT CENTER B0
LOCAL TERMINAL APPARATUS A2	REMOTE TERMINAL APPARATUS B2
LOCAL TERMINAL APPARATUS A3	REMOTE TERMINAL APPARATUS B3 AND MANAGEMENT CENTER B0
⋮	⋮

09373403.061201

Fig.25

MODIFIED PREFERRED EMBODIMENT
TRANSMISSION DESTINATION TABLE FOR ANSWER SIGNAL

TRANSMITTER	CHANGE IN STATUS	DESTINATION
LOCAL TERMINAL APPARATUS A1	NORMAL →ABNORMAL	REMOTE TERMINAL APPARATUS B1 AND MANAGEMENT CENTER B0
	ABNORMAL →NORMAL	MANAGEMENT CENTER B0
LOCAL TERMINAL APPARATUS A2	NORMAL →ABNORMAL	REMOTE TERMINAL APPARATUS B2
	ABNORMAL →NORMAL	NONE
LOCAL TERMINAL APPARATUS A3	NORMAL →ABNORMAL	REMOTE TERMINAL APPARATUS B3 AND MANAGEMENT CENTER B0
	ABNORMAL →NORMAL	REMOTE TERMINAL APPARATUS B3 AND MANAGEMENT CENTER B0
⋮	⋮	⋮

Fig.26 SEVENTEENTH PREFERRED EMBODIMENT




Fig.27

TRANSMISSION DESTINATION TABLE FOR ANSWER SIGNAL
STORED IN LOCAL TERMINAL APPARATUS A1


DESTINATION
REMOTE TERMINAL APPARATUS B1 AND MANAGEMENT CENTER

Fig.28

MODIFIED PREFERRED EMBODIMENT
TRANSMISSION DESTINATION TABLE FOR ANSWER SIGNAL
STORED IN LOCAL TERMINAL APPARATUS A1

CHANGE - IN STATUS	DESTINATION
NORMAL →ABNORMAL	REMOTE TERMINAL APPARATUS B1 AND MANAGEMENT CENTER B0
ABNORMAL →NORMAL	MANAGEMENT CENTER

Fig.29 EIGHTEENTH PREFERRED EMBODIMENT



NINETEENTH PREFERRED EMBODIMENT




Fig. 30

TWENTIETH PREFERRED EMBODIMENT




Fig.32A PRIOR ART




Fig.32B PRIOR ART




Fig.33 PRIOR ART




Fig. 34 PRIOR ART

